BMW Group Mobile Tradition



## **BMW R 12 2-Carburettor**

	Begin of the Production	1935
	End of the Production	1942
Engine	Internal Designation	M 56 S 6 or 212
	Motor Type	four-stroke two-cylinder flat-twin
	Bore	78 mm
	Stroke	78 mm
	Displacement	745 ccm
	Max Power	20 hp
	Rpm (Max Power)	4000 rpm
	Compression Ratio	5.2:1
	Valves	sv
	Carburetion System	2 x Amal 6/406/407
	Engine Lubricating System	forced-feed lubrication
	Oil Pump	gear pump
Power transmission	Clutch	double plates, dry
	Number of Gears	4
	Shifting	manual
	Gearbox Ratios	3.18/2.06/1.42/1.09
	Rear Wheel Ratio	1:4.07 (sidecar 1:4.75)
	Bevel/Crownwheel	14/57 teeth (sidecar 12/57)
Electrical system	Generator	Bosch D 245 RS 108
	Ignition System	magneto or battery ignition
	Spark Plugs	Bosch M 175 T1 or Bosch W 175 T1
Chassis	Designation	F 66
	Frame	twin-loop pressed steel frame
	Front Wheel Suspension	telescopic fork
	Rear Wheel Suspension	rigid
	Wheel Rims	3 x 19
	Tyres front	3.5 x 19
	Tyres rear	3.5 x 19
	Brakes front	drum brake Ø 200 mm
	Brakes rear	drum brake Ø 200 mm
Dimensions and weights	Length	2100 mm
	Width	900 mm
	Height	940 mm
	Wheel Base	1380 mm
	Fuel Tank Capacity	14
	Unladen Weight, Full Tank	approx. 185 kg
	Load Rating	300 kg
	Fuel Consumption	approx. 4 - 4,5 l/100 km
	Oil Consumption	approx. 1 - 2 l/1000 km
	Top Speed	120 kph
	Numbers Produced	36.000 (single- and double-carburettor versions)
	Price	1.630,- RM